

СПИСЪК НА ЦИТИРАНИЯТА НА НАУЧНИТЕ ПУБЛИКАЦИИ, РЕФЕРИРАНИ В
СВЕТОВНОИЗВЕСТНИ БАЗИ ДАННИ С НАУЧНА ИНФОРМАЦИЯ (Web of Science и
Scopus)

1. **K. D. Esmeryan**, I. D. Avramov, E. I. Radeva, Temperature-frequency characteristics of hexamethyldisiloxane (HMDSO) polymer coated Rayleigh surface acoustic wave (SAW) resonators for gas-phase sensor applications, *Micromachines* **3** (2012) 413-426.

Цитирана от:

- (1) V. Ionescu, Design and analysis of a Rayleigh SAW resonator for gas detecting applications, *Romanian Journal of Physics* **60** (2015) 502-511. **Scopus 2т**
- (2) W. Wang, H. Hu, G. Chen, X. Xie, S. He, Optimization of a BSP3-coated surface acoustic wave chemical sensor, *IEEE Sensors Journal* **15** (2015) 6730-6737. **Scopus 2т**
- (3) F. Hadj-Larbi, R. Serhane, Sezawa SAW devices: Review of numerical-experimental studies and recent applications, *Sensors and Actuators A Physical* **292** (2019) 169-197. **Scopus 2т**

2. **K. D. Esmeryan**, G. McHale, C. L. Trabi, N. R. Geraldi, M. I. Newton, Manipulated wettability of a superhydrophobic quartz crystal microbalance through electrowetting, *Journal of Physics D Applied Physics* **46** (2013) 345307.

Цитирана от:

- (1) K. Fukada, S. Shiratori, Viscosity sensing by adjusting the interface of a small liquid droplet/silica composite layer on quartz crystal microbalance, *RSC Advances* **6** (2016) 38475-38480. **Scopus 2т**
- (2) P. Wang, J. Su, M. Shen, M. Ruths, H. Sun, Detection of liquid penetration into a micropillar surface using quartz crystal microbalance, *Langmuir* **33** (2017) 638-644. **Scopus 2т**
- (3) J. Su, H. Esmailzadeh, H. Sun, Study of frequency response of quartz crystal microbalance to different wetting states of micropillar surfaces, *ASME Proceedings of Microfluidics and Nanofluidics Symposium FEDSM2017-69550* (2017) V01BT10A018. **Scopus 2т**
- (4) F. Dirri, E. Palomba, A. Longobardo, E. Zampetti, B. Saggin, D. Scaccabarozzi, A review of quartz crystal microbalances for space applications, *Sensors & Actuators A Physical* **287** (2019) 48-75. **Scopus 2т**

(5) I. Giner, B. Torun, Y. Han, B. Duderija, D. Meinderink, A. G. Orive, T. Arcos, C. Weinberger, M. Tiemann, H-J. Schmid, G. Grundmeier, Water adsorption and capillary bridge formation on silica micro-particle layers modified with perfluorinated organosilane monolayers, *Applied Surface Science* **475** (2019) 873-879. [Scopus 2т](#)

(6) X. Ye, J. Hou, D. Cai, Novel reversibly switchable wettability of superhydrophobic–superhydrophilic surfaces induced by charge injection and heating, *BEILSTEIN Journal of Nanotechnology* **10** (2019) 840-847. [WoS 2т](#)

(7) K. Mazuruk, M. P. Volz, Electric field effect on the contact angle for non-wetting drops, *J. Phys. Condensed Matter* **31** (2019) 395002. [WoS 2т](#)

3. **K. D. Esmeryan**, T. A. Yordanov, L. G. Vergov, Z. G. Raicheva, E. I. Radeva, Humidity tolerant organic vapor detection using a superhydrophobic quartz crystal microbalance, *IEEE Sensors Journal* **15** (2015) 6318-6325.

Цитирана от:

(1) X. Cha, F. Yu, Y. Fan, J. Chen, L. Wang, Q. Xiang, Z. Duan, J. Xu, Superhydrophilic ZnO nanoneedle array: Controllable in situ growth on QCM transducer and enhanced humidity sensing properties and mechanism, *Sensors & Actuators B Chemical* **263** (2018) 436-444. [Scopus 2т](#)

(2) H. Zhang, Y. Yao, Y. Shi, Performance enhancement of interdigital electrode-piezoelectric quartz crystal (IDE-PQC) salt concentration sensor by increasing the electrode area of piezoelectric quartz crystal (PQC), *Sensors* **18** (2018) 32-34. [Scopus 2т](#)

4. **K. D. Esmeryan**, I. D. Avramov, E. I. Radeva, Temperature behavior of solid polymer film coated quartz crystal microbalance for sensor applications, *Sensors and Actuators B Chemical* **216** (2015) 240-246.

Цитирана от:

(1) N. Lin, X. Meng, J. Nie, Dew point calibration system using a quartz crystal sensor with a differential frequency method, *Sensors* **16** (2016) 1944. [Scopus 2т](#)

(2) Q. Li, Y. Gu, B. Xie, Hybrid temperature effect on a quartz crystal microbalance resonator in aqueous solution, *Chinese Physics B* **26** (2017) 067704. [Scopus 2т](#)

(3) C. Jiang, F. Chen, F. Yu, S. Tian, X. Cheng, S. Zhang, X. Zhao, Thermal Expansion and Electro-Elastic Features of Ba₂TiSi₂O₈ High Temperature Piezoelectric Crystal, *Crystals* **9** (2019) 11. [Scopus 2т](#)

(4) A. Oprea, U. Weimar, Gas sensors based on mass-sensitive transducers part 1: transducers and receptors - basic understanding, *Analytical and Bioanalytical Chemistry* **411** (2019) 1761-1787. [Scopus 2т](#)

5. **K. D. Esmeryan**, E. I. Radeva, I. D. Avramov, Durable superhydrophobic carbon soot coatings for sensor applications, *Journal of Physics D Applied Physics* **49** (2016) 025309.

Цитирана от:

(1) Z. Jia, L. Jin, W. Liu, Z. Ren, A novel strategy to eliminate the influence of water adsorption on quartz surfaces on piezoelectric dynamometers, *Sensors* **16** (2016) 1060. [Scopus 2т](#)

(2) R. Iqbal, B. Majhy, A. K. Sen, Facile fabrication and characterization of a PDMS-derived candle soot coated stable biocompatible superhydrophobic and superhemophobic surface, *ACS Applied Materials and Interfaces* **9** (2017) 31170-31180. [Scopus 2т](#)

(3) F. Guittard, T. Darmanin, Bioinspired superhydrophobic surfaces: Advances and applications with metallic and inorganic materials, Pan Stanford Publishing, 1st Edition, August 31, 2017. [Scopus 2т](#)

(4) Y. Xing, X. Du, X. Li, H. Huang, J. Li, Y. Wen, X. Zhang, Tunable dendrimer-like porous silica nanospheres: Effects of structures and stacking manners on surface wettability, *Journal of Alloys and Compounds* **732** (2018) 70-79. [Scopus 2т](#)

(5) J. Yang, Y. Pu, D. Miao, X. Ning, Fabrication of durably superhydrophobic cotton fabrics by atmospheric pressure plasma treatment with a siloxane precursor, *Polymers* **10** (2018) 460. [Scopus 2т](#)

(6) S. S. Latthe, K. Nakata, R. Höfer, A. Fujishima, C. Terashima, Lotus effect-based superhydrophobic surfaces: Candle soot as a promising class of nanoparticles for self-cleaning and oil-water separation applications, in *Green chemistry for surface coatings, inks and adhesives: sustainable applications*, (2019) pp. 92-119. [Scopus 2т](#)

6. **K. D. Esmeryan**, C. E. Castano, A. H. Bressler, M. Abolghasemibizaki, R. Mohammadi, Rapid synthesis of inherently robust and stable superhydrophobic carbon soot coatings, *Applied Surface Science* **369** (2016) 341-347.

Цитирана от:

(1) Z. Han, J. Fu, Z. Wang, Y. Wang, B. Li, Z. Mu, J. Zhang, S. Niu, Long-term durability of superhydrophobic properties of butterfly wing scales after continuous contact with water, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* **518** (2017) 139-144. [Scopus 2т](#)

- (2) Z. Lei, G. Zhang, Y. Deng, C. Wang, Surface modification of melamine sponges for pH-responsive oil absorption and desorption, *Applied Surface Science* **416** (2017) 798-804. [Scopus 2T](#)
- (3) K. Terpilowski, Most modern techniques of superhydrophobic surface design and methods of its characterization, in *Superhydrophobic surfaces and coatings: Investigations and insights*, (2017) pp. 45-68. [Scopus 2T](#)
- (4) T. F. Qahtan, M. A. Gondal, I. O. Alade, M. A. Dastageer, Fabrication of water jet resistant and thermally stable superhydrophobic surfaces by spray coating of candle soot dispersion, *Scientific Reports* **7** (2017) 7531. [Scopus 2T](#)
- (5) F. Guittard, T. Darmanin, Bioinspired superhydrophobic surfaces: Advances and applications with metallic and inorganic materials, Pan Stanford Publishing, 1st Edition, August 31, 2017. [Scopus 2T](#)
- (6) Y. Xing, Y. Xue, J. Song, Y. Sun, L. Huang, X. Liu, J. Sun, Superhydrophobic coatings on wood substrate for self-cleaning and EMI shielding, *Applied Surface Science* **436** (2018) 865-872. [Scopus 2T](#)
- (7) Z. Fang, H. Li, M. Xia, Y. Liu, Y. Zhang, Y. Li, X. Jiang, P. He, A facile method to fabricate super-hydrophobic surface with water evaporation-induced phase inversion of stearic acid, *Materials Letters* **223** (2018) 124-127. [Scopus 2T](#)
- (8) V. P. Singh, R. Vaish, Adsorption of dyes onto candle soot: Equilibrium, kinetics and thermodynamics, *European Physical Journal Plus* **133** (2018) 446. [Scopus 2T](#)
- (9) M. Davoudi, E. J. Moore, G. G. Chase, Motion of water drops on hydrophobic expanded polymer mat surfaces due to tangential air flow, *Journal of the Taiwan Institute of Chemical Engineers* **94** (2019) 24-30. [Scopus 2T](#)
- (10) M. R. Mulay, A. Chauhan, S. Patel, V. Balakrishnan, A. Halder, R. Vaish, Candle soot: Journey from a pollutant to a functional material, *Carbon* **144** (2019) 684-712. [Scopus 2T](#)
- (11) S. Zheng, D. A. Bellido-Aguilar, X. Wu, X. Zhan, Y. Huang, X. Zeng, Q. Zhang, Z. Chen, Durable Waterborne Hydrophobic Bio-Epoxy Coating with Improved Anti-Icing and Self-Cleaning Performance, *ACS Sustainable Chemistry&Engineering* **7** (2019) 641-649. [Scopus 2T](#)
- (12) R. Tan, H. Xie, J. She, J. Liang, H. He, J. Li, Z. Fan, B. Liu, A new approach to fabricate superhydrophobic and antibacterial low density isotropic pyrocarbon by using catalyst free chemical vapor deposition, *Carbon* **145** (2019) 359-366. [Scopus 2T](#)
- (13) X. Ye, J. Hou, D. Cai, Novel reversibly switchable wettability of superhydrophobic–superhydrophilic surfaces induced by charge injection and heating, *BEILSTEIN Journal of Nanotechnology* **10** (2019) 840-847. [WoS 2T](#)

- (14) W. Ding, Z. Cao, B. Wang, S. Xu, Z. Wang, Research on hydrophobic properties of grafting structure on monocrystalline silicone fabricated using micromachining, *Advances in Materials Science and Engineering* **2019** (2019) 3706750. [Scopus 2т](#)
- (15) Y. Xu, G. Zhang, L. Li, C. Xu, X. Lv, H. Zhang, W. Yao, Icephobic behaviors of amorphous carbon nano-films synthesized from a flame process, *Journal of Colloid and Interface Science* **552** (2019) 613-621. [Scopus 2т](#)
- (16) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. [Scopus 2т](#)
- (27) C. T. Prontera, G. Sico, M. Montanino, A. D. G. Del Mauro, P. Tassini, M. G. Maglione, C. Minarini, P. Manini, Sustainable, fluorine-free, low cost and easily processable materials for hydrophobic coatings on flexible plastic substrates, *Materials* **12** (2019) 2234. [Scopus 2т](#)
- (18) H. Peng, Z. Luo, L. Li, Z. Xia, J. Du, B. Zheng, Facile fabrication of superhydrophobic aluminum surfaces by chemical etching and its anti-icing/self-cleaning performances, *Materials Research Express* **6** (2019) 096586. [Scopus 2т](#)
- (19) S. S. Latthe, K. Nakata, R. Höfer, A. Fujishima, C. Terashima, Lotus effect-based superhydrophobic surfaces: Candle soot as a promising class of nanoparticles for self-cleaning and oil-water separation applications, in *Green chemistry for surface coatings, inks and adhesives: sustainable applications*, (2019) pp. 92-119. [Scopus 2т](#)
7. **K. D. Esmeryan**, A. H. Bressler, C. E. Castano, C. P. Fergusson, R. Mohammadi, Rational strategy for the atmospheric icing prevention based on chemically functionalized carbon soot coatings, *Applied Surface Science* **390** (2016) 452-460.

Цитирана от:

- (1) T. F. Qahtan, M. A. Gondal, I. O. Alade, M. A. Dastageer, Fabrication of water jet resistant and thermally stable superhydrophobic surfaces by spray coating of candle soot dispersion, *Scientific Reports* **7** (2017) 7531. [Scopus 2т](#)
- (2) H. Zhang, Y. Liu, C. Hou, Y. Ma, B. Zhang, H. Zhang, Q. Zhang, Low-maintenance superamphiphobic coating based on a smart two-layer self-healing network, *Surface & Coatings Technology* **331** (2017) 97-106. [Scopus 2т](#)
- (3) D. Liao, M. He, H. Qiu, High-performance icephobic droplet rebound surface with nanoscale doubly reentrant structure, *International Journal of Heat and Mass Transfer* **133** (2019) 341-351. [Scopus 2т](#)
- (4) S. Zheng, D. A. Bellido-Aguilar, X. Wu, X. Zhan, Y. Huang, X. Zeng, Q. Zhang, Z. Chen, Durable Waterborne Hydrophobic Bio-Epoxy Coating with Improved Anti-Icing and Self-

Cleaning Performance, *ACS Sustainable Chemistry & Engineering* **7** (2019) 641-649. [Scopus 2T](#)

(5) R. Qiu, Z. Li, Z. Wu, Enhanced anti-icing and anti-corrosion properties of wear-resistant superhydrophobic surfaces based on Al alloys, *Materials Research Express* **6** (2019) 045059. [Scopus 2T](#)

(6) Y. Xu, G. Zhang, L. Li, C. Xu, X. Lv, H. Zhang, W. Yao, Icephobic behaviors of amorphous carbon nano-films synthesized from a flame process, *Journal of Colloid and Interface Science* **552** (2019) 613-621. [Scopus 2T](#)

(7) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. [Scopus 2T](#)

(8) H. Peng, Z. Luo, L. Li, Z. Xia, J. Du, B. Zheng, Facile fabrication of superhydrophobic aluminum surfaces by chemical etching and its anti-icing/self-cleaning performances, *Materials Research Express* **6** (2019) 096586. [Scopus 2T](#)

8. **K. D. Esmeryan**, C. E. Castano, R. Mohammadi, Interactions of superhydrophobic carbon soot coatings with short alkyl chain alcohols and fluorocarbon solutions, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **529** (2017) 715-724.

Цитирана от:

(1) S. Wiedemeier, R. Romer, S. Wachter, U. Staps, C. Kolbe, G. Gastrock, Precision moulding of biomimetic disposable chips for droplet based application, *Microfluidics and Nanofluidics* **21** (2017) 167. [Scopus 2T](#)

(2) X-x. Yang, X-f. Hou, X-m. Gao, F. Fu, Hierarchical porous carbon from semi-coke via a facile preparation method for p-nitrophenol adsorption, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **563** (2019) 50-58. [Scopus 2T](#)

(3) S. Chen, G. Chen, H. Chen, Y. Sun, X. Yu, Y. Su, S. Tang, Preparation of porous carbon-based material from corn straw via mixed alkali and its application for removal of dye, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **568** (2019) 173-183. [Scopus 2T](#)

(4) M. Nazhipkyzy, A. Nurgain, M. Florent, A. Policicchio, T. J. Bandosz, Magnetic soot: Surface properties and application to remove oil contamination from water, *Journal of Environmental Chemical Engineering* **7** (2019) 103074. [Scopus 2T](#)

(5) Y. Xu, G. Zhang, L. Li, C. Xu, X. Lv, H. Zhang, W. Yao, Icephobic behaviors of amorphous carbon nano-films synthesized from a flame process, *Journal of Colloid and Interface Science* **552** (2019) 613-621. [Scopus 2T](#)

9. **K. D. Esmeryan**, C. E. Castano, M. Abolghasemibizaki, R. Mohammadi, An artful method for in-situ assessment of the anti-biofouling potential of various functional coatings using a quartz crystal microbalance, *Sensors and Actuators B Chemical* **243** (2017) 910-918.

Цитирана от:

- (1) H. D. Raval, P. Makwana, S. Sharma, Biofouling of polysulfone and polysulfone-graphene oxide nanocomposite membrane and foulant removal, *Materials Research Express* **5** (2018) 065322. **Scopus 2т**
- (2) H. Zhang, Y. Yao, Y. Shi, Performance enhancement of interdigital electrode-piezoelectric quartz crystal (IDE-PQC) salt concentration sensor by increasing the electrode area of piezoelectric quartz crystal (PQC), *Sensors* **18** (2018) 32-34. **Scopus 2т**
- (3) Y. Zhang, L. Chen, Z. Lin, L. Ding, X. Zhang, R. Dai, Q. Yan, X-dong Wang, Highly sensitive dissolved oxygen sensor with a sustainable antifouling, antiabrasion and self-cleaning surface, *ACS Omega* **4** (2019) 1715-1721. **Scopus 2т**
- (4) Q. Chen, X. Huang, W. Pan, Y. Xu, Z. Fan, Investigation on mass sensitivity of n-m type electrode quartz crystal microbalance, *Sensors* **19** (2019) 2125. **WoS 2т**

10. **K. D. Esmeryan**, C. E. Castano, A. H. Bressler, M. Abolghasemibizaki, C. P. Fergusson, A. Roberts, R. Mohammadi, Kinetically driven graphite-like to diamond-like carbon transformation in low temperature laminar diffusion flames, *Diamond and Related Materials* **75** (2017) 58-68.

Цитирана от:

- (1) A. I. Sidorov, V. F. Lebedev, A. A. Kobranova, A. V. Nashchekin, Formation of quantum dots and nanodiamonds in laser ablation of a carbon film, *Quantum Electronics* **48** (2018) 45-48. **Scopus 2т**
- (2) Z. Zhai, H. Shen, J. Chen, X. Li, Y. Jiang, Evolution of structural and electrical properties of carbon films from amorphous carbon to nanocrystalline graphene on quartz glass by HFCVD, *ACS Applied Materials and Interfaces* **10** (2018) 17427-17436. **Scopus 2т**
- (3) H. Tian, Y. Tang, Y. Wang, L. Chen, Structure, mechanical and tribological behaviors of Ti/GLC multilayer films deposited by DC magnetron sputtering, *Diamond and Related Materials* **98** (2019) 107463. **Scopus 2т**

11. **K. D. Esmeryan**, C. E. Castano, R. Mohammadi, Y. Lazarov, E. I. Radeva, Delayed condensation and frost formation on superhydrophobic carbon soot coatings by controlling the presence of hydrophilic active sites, *Journal of Physics D Applied Physics* **51** (2018) 055302.

Цитирана от:

- (1) S. Chavan, D. Park, N. Singla, P. Sokalski, K. Boyina, N. Miljkovic, Effect of latent heat released by freezing droplets during frost wave propagation, *Langmuir* **34** (2018) 6636-6644. [Scopus 2т](#)
- (2) Y. Zhang, G. Zhang, A. Zhang, Y. Jin, R. Ru, M. Tian, Frosting phenomenon and frost-free technology of outdoor air heat exchanger for an air-source heat pump system in China: An analysis and review, *Energies* **11** (2018) 2642. [Scopus 2т](#)
- (3) R. Qiu, Z. Li, Z. Wu, Enhanced anti-icing and anti-corrosion properties of wear-resistant superhydrophobic surfaces based on Al alloys, *Materials Research Express* **6** (2019) 045059. [Scopus 2т](#)
- (4) S. Chen, G. Chen, H. Chen, Y. Sun, X. Yu, Y. Su, S. Tang, Preparation of porous carbon-based material from corn straw via mixed alkali and its application for removal of dye, *Colloids&Surfaces A Physicochemical and Engineering Aspects* **568** (2019) 173-183. [Scopus 2т](#)
- (5) X. Yang, H. Wei, R. Jin, L. Yang, X. Du, Y. Yang, Anti-freezing of air-cooled heat exchanger with rolling-type windbreaker, *International Journal of Heat and Mass Transfer* **136** (2019) 70-86. [Scopus 2т](#)
- (6) X. Yang, R. Jin, H. Wei, L. Yang, X. Du, Air pre-heating for anti-freezing of air-cooled heat exchanger by spraying flue gas, *International Journal of Heat and Mass Transfer* **138** (2019) 152-162. [Scopus 2т](#)
- (7) W. Ding, Z. Cao, B. Wang, S. Xu, Z. Wang, Research on hydrophobic properties of grafting structure on monocrystalline silicone fabricated using micromachining, *Advances in Materials Science and Engineering* **2019** (2019) 3706750. [Scopus 2т](#)
- (8) Y. Xu, G. Zhang, L. Li, C. Xu, X. Lv, H. Zhang, W. Yao, Icephobic behaviors of amorphous carbon nano-films synthesized from a flame process, *Journal of Colloid and Interface Science* **552** (2019) 613-621. [Scopus 2т](#)
- (9) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. [Scopus 2т](#)
- (10) H. Peng, Z. Luo, L. Li, Z. Xia, J. Du, B. Zheng, Facile fabrication of superhydrophobic aluminum surfaces by chemical etching and its anti-icing/self-cleaning performances, *Materials Research Express* **6** (2019) 096586. [Scopus 2т](#)

15. **K. D. Esmeryan**, I. A. Avramova, C. E. Castano, I. A. Ivanova, R. Mohammadi, E. I. Radeva, D. S. Stoyanova, T. G. Vladkova, Early stage anti-bioadhesion behavior of

superhydrophobic soot based coatings towards *Pseudomonas putida*, *Materials&Design* **160** (2018) 395-404.

Цитирана от:

(1) W. Ding, Z. Cao, B. Wang, S. Xu, Z. Wang, Research on hydrophobic properties of grafting structure on monocrystalline silicone fabricated using micromachining, *Advances in Materials Science and Engineering* **2019** (2019) 3706750. **Scopus 2т**

(2) Y. Xu, G. Zhang, L. Li, C. Xu, X. Lv, H. Zhang, W. Yao, Icephobic behaviors of amorphous carbon nano-films synthesized from a flame process, *Journal of Colloid and Interface Science* **552** (2019) 613-621. **Scopus 2т**

(3) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. **Scopus 2т**

(4) C. T. Prontera, G. Sico, M. Montanino, A. D. G. Del Mauro, P. Tassini, M. G. Maglione, C. Minarini, P. Manini, Sustainable, fluorine-free, low cost and easily processable materials for hydrophobic coatings on flexible plastic substrates, *Materials* **12** (2019) 2234. **Scopus 2т**

(5) W. Yao, Y-J. Kang, S-K. Park, O. L. Li, Y-C. Cho, Development of a robust, self-cleaning, amphiphobic and electrically conductive coating on a flexible polymer substrate, *Materials & Design* **182** (2019) 108023. **Scopus 2т**

16. **K. D. Esmeryan**, R. R. Ganeva, G. S. Stamenov, T. A. Chaushev, Superhydrophobic soot coated quartz crystal microbalances: A novel platform for human spermatozoa quality assessment, *Sensors* **19** (2019) 123.

Цитирана от:

(1) Q. Chen, X. Huang, W. Pan, Y. Xu, Z. Fan, Investigation on mass sensitivity of n-m type electrode quartz crystal microbalance, *Sensors* **19** (2019) 2125. **WoS 2т**

(2) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. **Scopus 2т**

17. **K. D. Esmeryan**, C. E. Castano, Y. I. Fedchenko, R. Mohammadi, I. K. Miloushev, K. A. Temelkov, Adjustable optical transmittance of superhydrophobic carbon soot coatings by *in-situ* single-step control of their physicochemical profile, *Colloids & Surfaces A* **567** (2019) 325-333.

Цитирана от:

(1) L. Yang, H. Fu, C. Yang, W. Tian, P. Wu, W. Jiang, Carbon soot with arbitrary wettability deposited on solid surface by ethanol flame method, *Colloids & Surfaces A Physicochemical and Engineering Aspects* **578** (2019) 123576. **Scopus 2т**

Брой независими цитирания забелязани в Scopus и Web of Science – 79

Общ брой независими цитирания (по данни от Google Scholar, Research Gate и т.н.) – 105

h-index (без автоцитатите, данни от Sonix) – 6

Линк към профила на кандидата в WoS -
https://apps.webofknowledge.com/DaisyOneClickSearch.do?product=WOS&search_mode=DaisyOneClickSearch&colName=WOS&SID=E26uMMrb6mLWnlppNnE&author_name=Esmeryan,%20Karekin%20D.&dais_id=3215967&excludeEventConfig=ExcludelfFromFullRecPage

Линк към профила на кандидата в Scopus -
<https://www.scopus.com/authid/detail.uri?origin=resultslist&authorId=55598592700&zone=>