

Списък на цитати в научни издания, монографии и патенти, реферираны и индексирани в световноизвестни бази данни с научна информация (Web of Science и Scopus)
показател Д.11 – 470 точки

P.P. Kircheva, G.B. Hadjichristov:

"On the phase match in multiplex CARS of condensed media",
Appl. Spectrosc. 47 (4) (1993) 470–474

1. - M.J. Papac, J.D. Posner, D. Dunn-Rankin:

"Crossed two-beam coherent anti-stokes Raman spectroscopy in dispersive media",
Appl. Spectrosc. 57(1) (2003) 93–99.

.....

P.P. Kircheva, G.B. Hadjichristov:

"Kramers-Kronig relations in FWM spectroscopy",
J. Phys. B 27 (16) (1994) 3781–3793

2.- E.M. Vartiainen, K.E. Peiponen, H. Kishida, T. Koda:

"Phase retrieval in nonlinear optical spectroscopy by the maximum-entropy method: An application to the $|\chi^{(3)}|$ spectra of polysilane",
J. Opt. Soc. Am. B 13(10) (1996) 2106–2114.

3.- K.E. Peiponen, E.M. Vartiainen, T. Asakura:

"Dispersion theory and phase retrieval of meromorphic total susceptibility",
J. Phys.: Condens. Matter 9(42) (1997) 8937–8943.

4.- K.E. Peiponen, E.M. Vartiainen, T. Asakura:

"Dispersion relations and phase retrieval in optical spectroscopy",
in: **Progress in Optics**, Vol. XXXVII, ed. E. Wolf, Elsevier (1997) pp. 57–94, p. 61, p. 71.

5.- K.E. Peiponen, E.M. Vartiainen, T. Asakura:

"Complex analysis in dispersion theory"

Opt. Rev. 4(4) (1997) 433–441.

6.- J.M. Funk, A. Materny:

"Analysis of the third-order susceptibilities of triplet excited molecules using nanosecond time-resolved resonance CARS",
J. Raman Spectrosc. 29(12) (1998) 1071–1078.

7.- K.E. Peiponen, T. Asakura:

"Dispersion theory for two-phase layered-geometry nanocomposites"
Opt. Rev. 6(5) (1999) 410–414.

8.- K.E. Peiponen:

"On the dispersion theory of meromorphic optical constants",
J. Phys. A: Math. Gen. 34(33) (2001) 6525–6530.

9.- F.W. King:

"Efficient numerical approach to the evaluation of Kramers-Kronig transforms",
J. Opt. Soc. Am. B - Opt. Phys. 19(10) (2002) 2427–2436.

10.- K.E. Peiponen, J.J. Saarinen:

"Dispersion theory of meromorphic total reflectivity",
Phys. Rev. A 65(6), (2002) Art.No.063810 (1–15).

11.- K.E. Peiponen, J.J. Saarinen, Y. Svirko:

"Derivation of general dispersion relations and sum rules for meromorphic nonlinear optical spectroscopy",
Phys. Rev. A 69(4) (2004) Art.No. 043818 (1–23).

12.- K.E. Peiponen, V. Lucarini, J.J. Saarinen, E. Vartiainen:

"Kramers-Kronig relations and sum rules in nonlinear optical spectroscopy",
Appl. Spectrosc. 58(5) (2004) 499–509.

13.- S.A. Ramakrishna:

"Physics of negative refractive index materials",
Rep. Prog. Phys. 68(2) (2005) 449–521.

14.- F.A. Hashmi, M.A. Bouchene:

"Coherent control of the effective susceptibility through wave mixing in a duplicated two-level system",
Phys. Rev. Lett. 101(21) (2008) Article Number: 213601.

15.- K.E. Peiponen, J.J. Saarinen:

"Generalized Kramers-Kronig relations in nonlinear optical- and THz-spectroscopy",
Rep. Prog. Phys. 72(5) (2009) 056401 (1–19).

16.- "Hilbert Transforms" Vol. 1, Book Series: Encyclopedia of Mathematics and its Applications, Issue: 124,
by F.W. King, Cambridge Univ. Press, THE PITT BUILDING, TRUMPINGTON ST, CAMBRIDGE CB2 1RP, CAMBS,
ENGLAND (2009) p. 782.

17.- "Hilbert Transforms" Vol. 2, Book Series: Encyclopedia of Mathematics and its Applications, Issue: 125,
by F.W. King, Cambridge Univ. Press, THE PITT BUILDING, TRUMPINGTON ST, CAMBRIDGE CB2 1RP, CAMBS,
ENGLAND (2009) p. 116, p. 403.

- G.B. Hadjichristov, M.D. Stamova, P.P. Kircheva:**
"Two-photon resonance four-wave mixing spectroscopy in polar media",
J. Phys. B 28 (15) (1995) 3441–3451
- 18.- B.N. Jagatap, W.J. Meath:
 "On the competition between permanent dipole and virtual state two-photon excitation mechanisms, and two-photon optical excitation pathways, in molecular excitation",
Chem. Phys. Lett. 258(1-2) (1996) 293–300.
- 19.- A.E. Kondo, W.J. Meath:
 "On the spectral and dynamic effects of near-nodal molecule EMF coupling arising from permanent dipole moments",
Molec. Phys. 92(5) (1997) 805–812.
- 20.- D.L. Andrews, L.C.D. Romero, W.J. Meath:
 "An algorithm for the nonlinear optical susceptibilities of dipolar molecules, and an application to third harmonic generation",
J. Phys. B 32(1) (1999) 1–17.
- 21.- B.N. Jagatap:
 "Laser frequency - and polarisation-dependent interference effects in two-photon transitions in a dipolar molecule",
J. Molec. Struct.-Theochem 591(1-3) (2002) 121–130.
- 22.- A.A. Zabolotskii:
 "Amplification of extremely short pulses in optical media",
J. Exp. Theor. Phys. 94(5) (2002) 869–881.
 /Translated from: *Zhurnal & eksperimental'no i Teoreticheskogo Fiziki*, 121 (5) (2002) 1012–1027.
- 23.- G. Juzeliunas, L.D. Romero, D.L. Andrews:
 "Eliminating ground-state dipole moments in quantum optics via canonical transformation",
Phys. Rev. A 68(4) (2003) Art. No. 043811 Part B.
- 24.- D.L. Andrews, L.C.D. Romero:
 "Resonance damping and optical susceptibilities",
Proc. SPIE 5218 (2003) 181–190.
- 25.- S.V. Sazonov, N.V. Ustinov:
 "Resonant transparency regimes under conditions of long/short-wave coupling",
J. Exp. Theor. Phys. 100(2) (2005) 256–271.
- 26.- M.B. Krylov, S.V. Sazonov:
 "Propagation of ordinary-extraordinary laser pulse in medium containing quantum transitions with permanent dipole moments",
Bulletin of the Russian Academy of Sciences: Physics 70(12) (2006) 2030–2037.
- 27.- V. Vaicaitis:
 "Four-photon resonantly enhanced six-wave mixing and third-harmonic generation in potassium vapour",
Appl. Phys. B-Lasers and Optics 125(6) (2019) UNSP 95.
-
- G.B. Hadjichristov, P.P. Kircheva, N. Kirov:**
"Multiplex CARS spectroscopy of Rochelle Salt crystal"
J. Molec. Struct. 382 (1) (1996) 33–37
- 28.- Y.H. Wang, X. Du, X. He, Y.Q. Yang:
 "Probing energy transfer between "CH₃" and "CH₂" groups in ethanol by using time-resolved multiplex CARS technique",
Acta Photonica Sinica 37 (SUPPL. 2) (2008) 144–146.
-
- G.B. Hadjichristov, I. Petkov, T. Deligeorgiev, J.M. Funk, T. Bischof, W. Kiefer:**
"Resonance CARS spectroscopy of 2-Phenylbenzothiazoles in PMMA matrix",
J. Mol. Struct. 443(1-3) (1998) 17–25
- 29.- T. Sasaki, T. Inoue, Y. Komori, S. Irie, K. Sakurai, K. Tsubakiyama:
 "Photophysics of novel 2,6-disubstituted benzobisthiazoles possessing chromophoric groups",
Phys. Chem. Chem. Phys. 5(7) (2003) 1381–1385.
-
- G.B. Hadjichristov, N. Kirov, A. Materny, W. Kiefer:**
"Two-photon-resonance four-wave mixing for the study of permanent molecular dipoles",
J. Raman Spectrosc. 29 (4) (1998) 283–290
- 30.- J. P. Lavoine:
 "Effects of permanent dipole moments in transient four-wave mixing experiments",
J. Chem. Phys. 127(9) (2007) Article number 094107 (1–11).
-
- G.B. Hadjichristov, N. Kirov:**
"Nonlinear optical materials: nonlinear reflection in compounds with large permanent dipole moments",
J. Optoelectron. Adv. Mater. 7(1) (2005) 561–564
- 31.- M. Dimitriu, L.M. Ivan, D.O. Dorohoi:
 "Electro-optical parameters of some benzene derivatives obtained by molecular orbital calculations",
Revista de Chimie 59(2) (2008) 216–219.
-
- Y. Marinov, G.B. Hadjichristov, A.G. Petrov:**
"Controllable-gradient microscale PDLC electro-optical materials formed by nanosecond laser photopolymerization",
J. Optoelectron. Adv. Mater. 9 (2) (2007) 417–419
- 32.- L.T. Popova:
 "Flexo-dielectro-optical spectroscopy of PDLC films modified by nano-rubbed PTFE layers",
J. Phys. Conf. Ser. 682 (2016) 012027 (1–5).

- 33.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 34.- H. Teng, J. Li, Z. Hou, X. Yan, L. Han, J. Xu, T. Li:
"Preparation of Compositional Gradient Polymeric Films Based on Gradient Mesh Template",
Polymers 10(6) (2018) 677 (1–15).
- 35.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
-
- G.B. Hadjichristov, S.S. Stanimirov, I.L. Stefanov, I.K. Petkov:**
"The luminescence response of diamine-ligated europium complexes upon resonant and pre-resonant excitation",
Spectrochim. Acta A: Mol. Biomol. Spectrosc. 69 (2) (2008) 443–448.
- 36.- T.M. Benseman, A.E. Koshelev, W.K. Kwok, U. Welp, V.K. Vlasko-Vlasov, K. Kadokawa, H. Minami, C. Watanabe:
"Direct imaging of hot spots in Bi₂Sr₂CaCu₂O_{8+δ} mesa terahertz sources",
J. Appl. Phys. 113(13) (2013) art. no. 133902.
- 37.- T. Tsukamoto, S. Tanaka:
"Patternable temperature sensitive paint using Eu(TTA)₃ for the micro thermal imaging",
J. Phys. Conf. Ser. 476 (2013) 012073 (1–5).
- 38.- T. Tsukamoto, M. Esashi, S. Tanaka:
"High spatial, temporal and temperature resolution thermal imaging method using Eu(TTA)₃ temperature sensitive paint",
J. Micromech. Microeng. 23(11) (2013) 114015 (1–8)
- 39.- Yang, Y., Sun, L., Ou, J., He, Y., Lin, X., Yuan, Z., Lin, W., Hong, W., Yu, D., Chen, X., and Qiu, Z.
"Plasmonic effects and the morphology changes on the active material P3HT:PCBM used in polymer solar cells using Raman spectroscopy",
J. Raman Spectrosc. 47(8) (2016) 888–894.
- 40.- T.M. Benseman, Y. Hao, V.K. Vlasko-Vlasov, U. Welp, A.E. Koshelev, W.K. Kwok, R. Divan, C. Keiser, C. Watanabe, K. Kadokawa:
"High-resolution thermal micro-imaging using europium chelate luminescent coatings",
J. Vis. Exp. 122 (2017) e53948.
-
- G.B. Hadjichristov, V. Ivanov, E. Faulques:**
"Reflectivity modification of polymethylmethacrylate by silicon ion implantation",
Appl. Surf. Sci. 254(15) (2008) 4820–4827.
- 41.- S. Bahniwal, A. Sharma, S. Aggarwal, S.K. Deshpande, S.K. Sharma, K.G.M. Nair:
"Changes in structural and optical properties of polycarbonate induced by Ag⁺ ion implantation",
J. Macromol. Sci Part B 49(2) (2010) 259–268.
- 42.- N. Shekhawat, A. Sharma, S. Aggarwal, K.G.M. Nair:
"Refractive index engineering in polycarbonate implanted by 100 keV N⁺ ions",
Opt. Eng. 50(4) (2011) 044601–7.
- 43.- L. Salles, J.M. Reboul, D. Busardo, B. Boudart:
"Surface resistance decay by ions implantation on insulating polymers for antistatic surface process ",
 14th International Symposium on Electrets (ISE), Montpellier (France), 28–31 Aug. 2011, IEEE (2011),
 pp.113–114, 10.1109/ISE.2011.6085008
- 44.- V.N. Popok:
"Ion implantation of polymers: formation of nanoparticulate materials",
Rev. Adv. Mater. Sci. 30(1) (2012) 1–26.
- 45.- S.K. Hong, H.R. Lee, S. Lee, J. Kim, D. Lee, K.M. Kim, S.R. Kim, J.S. Choi, J.S. Kim:
"Comparison of ion implantation resistance between commercial KrF and ArF photoresists",
J. Photopolym. Sci. Technol. 25(5) (2012) 689–691.
- 46.- J. Wang, F. Zhu, B. Zhang, H. Liu, G. Jia, C Liu:
"Photoluminescence and reflectivity of polymethylmethacrylate implanted by low-energy carbon ions at high fluences",
Appl. Surf. Sci. 261 (2012) 653–658.
- 47.- R. Gupta, V. Kumar, P.K. Goyal, S. Kumar:
"Optical characterization of poly(methyl methacrylate) implanted with low energy ions",
Appl. Surf. Sci. 263 (2012) 334–338.
- 48.- D. I. Tetelbaum, A. N. Mikhaylov and A. I. Belov:
"Peculiarities of ion-beam synthesis of carbon-based phases",
 in: **Diamond-Like Carbon Films**, Ed. Y.S. Tanaka, Nova Science Publishers, Inc. (2012) Chapter 2, pp. 39–71.
- 49.- N. Shekhawat, A. Sharma, S. Aggarwal, K.G.M. Nair:
"Refractive Index Engineering of Ar⁺ Implanted CR-39 Polymer",
 in: **CONDENSED MATTER AND MATERIALS PHYSICS**, Book Series: Advanced Materials Research, Vol. 665 (2013), Eds. P.K. Jha, A. Pratap, pp.214–220.
- 50.- V.N. Popok, M. Hanif, A. Mackova, R. Mikšová:
"Structure and plasmonic properties of thin PMMA layers with ion-synthesized Ag nanoparticles",
J. Polym. Sci. Part B: Polymer Phys. 53(9) (2015) 664–672.
- 51.- S. Arif, M.S. Rafique, F. Saleemi, R. Sagheer, F. Naab, O. Toader, A. Mahmood, R. Rashid, M. Mahmood:
"Influence of 400 keV carbon ion implantation on structural, optical and electrical properties of PMMA",
Nucl. Instrum. Methods Phys. Res. B 358 (2015) 236–244.
- 52.- S. Arif, M.S. Rafique, F. Saleemi, F. Naab, O. Toader, R. Sagheer, S. Bashir, R. Zia, K. Siraj, S. Iqbal:
"Surface topographical and structural analysis of Ag⁺-implanted polymethylmethacrylate",
Nucl. Instrum. Methods Phys. Res. B 381 (Aug 2016) 114–121.

- 53.- R. Kandulna, R. B. Choudhary, P. Maji:
"Ag-doped ZnO reinforced polymeric Ag/ZnO/PMMA nanocomposites as electron transporting layer for OLED application",
J. Inorg. Organomet. Polym. Mater. 27(6) (2017) 1760–1769.
- 54.- M. L. Bharti, S. Dutt, R. Raturi, V. Joshi:
"Structural modifications of PMMA and PMMA/CNT matrix by swift heavy ions irradiation",
IOP Conf. Ser.: Mater. Sci. Eng. 225 (conf.1) (2017) 012093 (1–9)
- 55.- M. L. Bharti, F. Singh, R.C. Ramola, V. Joshi:
"Photoluminescence and reflectivity studies of high energy light ions irradiated polymethyl methacrylate films",
Opt. Materials 73 (Nov 2017) 550–554.
- 56.- S. Arif, M.S. Rafique, F. Saleemi, R. Sagheer:
"Effect of structural transformation of C⁺-ion implanted PMMA into quasi-continuous carbonaceous layer on its optical and electrical properties",
Opt. Mater. 76(Feb2018) (2018) 147–154.
- 57.- R. Kandulna, R.B. Choudhary, R. Singh, B. Purty:
"PMMA-TiO₂ based polymeric nanocomposite material for electron transport layer in OLED application",
J. Mater. Sci: Mater. Electron. 29(7) (2018) 5893–5907.
- 58.- G. Santhosh, B. S. Madhukar, G. P. Nayaka, B. C. Hemaraju, B. Siddaramaiah:
"Influence of gamma radiation on optical properties of Halloysite nanotubes incorporated polycarbonate nanocomposites",
Radiation Effects and Defects in Solids 173(5-6) (2018) 489–503.
- 59.- A. Sharma, M. Chawla, D. Gupta, R. Kumari, M. Bura, N. Shekhawat, S. Aggarwal:
"Low energy B⁺ implantation induced optical and structural characteristics of aliphatic and aromatic polymers",
Vacuum 159(Jan 2019) (2019) 306–314.
- 60.- D. Nayak, R. B. Choudhary, R. Kandulna, G. Mandal:
"Investigation of Structural, Optical and Electrical Performance of ZnS Sensitized PMMA Nanocomposite as an Emissive Layer for OLED Application",
AIP Conference Proceedings 2100(1) (February 2019) 020017.
-
- G.B. Hadjichristov, V.K. Gueorguiev, Tz.E. Ivanov, Y.G. Marinov, V.G. Ivanov and E. Faulques:
"Silicon ion implanted PMMA for soft electronics",
Org. Electron.: Mater. Phys. Chem. Appl. 9 (6) (2008) 1051–1060
- 61.- A.S. Ayesh:
"Electrical and optical characterization of PMMA doped with Y_{0.0025}Si_{0.025}Ba_{0.9725} (Ti_{0.9}Sn_{0.1})O₃ ceramic",
Chin. J. Polym. Sci. 28(4) (2010) 537–546.
- 62.- A. Kondyurin, M. Bilek:
"Etching and structure changes in PMMA coating under argon plasma immersion ion implantation",
Nucl. Instrum. Meth. Phys. Res. B 269(12) (2011) 1361–1369.
- 63.- P.K. Goyal, V. Kumar, R. Gupta, S. Mahendia, Anita and S. Kumar:
"Modification of polycarbonate surface by Ar⁺ ion implantation for various opto-electronic applications",
Vacuum 86(8) (2012) 1087–1091.
- 64.- V.N. Popok:
"Ion implantation of polymers: formation of nanoparticulate materials",
Rev. Adv. Mater. Sci. 30(1) (2012) 1–26.
- 65.- S.K. Hong, H.R. Lee, S. Lee, J. Kim, D. Lee, K.M. Kim, S.R. Kim, J.S. Choi, J.S. Kim:
"Comparison of ion implantation resistance between commercial KrF and ArF photoresists",
J. Photopolym. Sci. Technol. 25(5) (2012) 689–691.
- 66.- J. Wang, F. Zhu, B. Zhang, H. Liu, G. Jia, C Liu:
"Photoluminescence and reflectivity of polymethylmethacrylate implanted by low-energy carbon ions at high fluences",
Appl. Surf. Sci. 261 (2012) 653–658.
- 67.- V. Resta, L. Calcagnile, G. Quarta, L. Maruccio, A. Cola, I. Farella, G. Giancane, L. Valli:
"Optical and electrical properties of polycarbonate layers implanted by high energy Cu ions",
Nucl. Instrum. Meth. Phys. Res. B 312 (2013) 42–47.
- 68.- B. Biswas, A. Chowdhury, B. Mallik:
"Role of solvents on the electrical conductivity of solution-processed poly (methyl methacrylate) thin films",
Synth. Metals 178 (2013) 44–51.
- 69.- V. Resta, G. Quarta, I. Farella, L. Maruccio, A. Cola, L. Calcagnile:
"Comparative study of metal and non-metal ion implantation in polymers: Optical and electrical properties",
Nucl. Instrum. Meth. Phys. Res. B 331 (2014) 168–171.
- 70.- V. Resta, G. Quarta, L. Maruccio, L. Calcagnile:
"Copper ion implantation of polycarbonate matrices: Morphological and structural properties",
Nucl. Instrum. Meth. Phys. Res. B 331 (2014) 187–190.
- 71.- A. Kondyurin, M. Bilek:
"Ion Beam Treatment of Polymers: Application Aspects from Medicine to Space",
Elsevier, Amsterdam, Netherlands, 2015, Second edition, p.60.
- 72.- S.I. Radwan, M.M. Shehata, H. El-Khabeary, A.G. Helal:
"Simulation of ion beam bombardment using Bayfol CR 6-2",
Radiat. Phys. Chem. 121 (April 2016) 93–98.
- 73.- Q.S. Ahmed, S. Bashir, S.A. Jalil, M.K. Shabbir, K. Mahmood, M. Akram, A. Khalid, N. Yaseen, A. Arshad:
"Surface, electrical and mechanical modifications of PMMA after implantation with laser produced iron plasma ions",
Nucl. Instrum. Meth. Phys. Res. B 378 (2016) 1–7.
- 74.- R. Sagheer, M.S. Rafique, F. Saleemi, S. Arif, F. Naab, O. Toader, A. Mahmood, R. Rashid, I. Hussain:
"Modification in surface properties of poly-allyl-diglycol-carbonate (CR-39) implanted by Au⁺ ions at different fluences",
Materials Sci. Pol., 34(2) (2016) 468–478.

- 75.- T. Qi, L. Dong, Y. Qiao, S. Yu, H. Hei, Z. He, Y. Zhang, Y. Jia, C. Zhang, Y. Shen:
"Enhanced electron field emission of Cu implanted microcrystalline diamond films after annealing"
 Vacuum 134 (2016) 141–149.
- 76.- M.M. Shehata, S.I. Radwan, A.M.A. Reheem:
"SRIM simulation of parameters affecting sputtering yield and chemical structure using Kr, Cu and Pb ions bombardment",
 Arab J. Nucl. Sci. Appl. 50(4) (2017) 193–200.
- 77.- D. Nayak, R. B. Choudhary:
"Augmented optical and electrical properties of PMMA-ZnS nanocomposites as emissive layer for OLED applications",
 Optical Materials 91 (2019) 470–481
- 78.- D. D. Kisić, M. T. Nenadović, J. M. Potocnik, M. Novaković, P. Noga, D. Vana, A. Zavacka, Z. L. Rakočević:
"Surface layer morphology of the high fluence Fe implanted polyethylene - Correlation with the magnetic and optical behavior",
 Vacuum 171 (Jan 2020), art. 109016 (1–9)
-

G.B. Hadjichristov, Y.G. Marinov, A.G. Petrov:
Linear size gradient single layers of polymer-dispersed liquid crystal micrometer-sized droplets for diffractive optics
 Opt. Mater. 31(11) (2009) 1578–1585

- 79.- J.K. Srivastava, R.K. Singh, R.Dhar, S. Singh:
"Thermal and morphological studies of liquid crystalline materials dispersed in a polymer matrix",
 Liq. Cryst. 38(7) (2011) 849–859.
- 80.- F.H. Lin, C.Y. Ho, J.Y. Lee:
"The electro-optical characteristics of liquid crystal device in multi-component liquid crystal mixture system with non-contact photo-induced vertical alignment mode",
 Opt. Mater. 34(7) (2012) 1181–1194.
- 81.- J.K. Srivastava, R.K. Singh, R. Dhar, S. Singh:
"Studies of dispersed liquid crystals in binary mixtures with ionic liquid and their excitation by electric signals",
 RSC Adv. 5(105) (2015) 86291–86302.
- 82.- S Singh, J K Srivastava, R K Singh:
"Polymer Dispersed Liquid Crystals"
 in: **Liquid Crystalline Polymers**, eds. V.K. Thakur, M.R. Kessler, Vol.1 – Structure and Chemistry,
 Springer, Cham, Switzerland, 2016, Chapter 7, pp 195–250.
- 83.- L.T. Popova:
"Flexo-dielectro-optical spectroscopy of PDLC films modified by nano-rubbed PTFE layers",
 J. Phys. Conf. Ser. 682 (2016) 012027 (1–5).
- 84.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
 J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 85.- D.P. Shcherbinin, E.A. Konshina:
"Impact of titanium dioxide nanoparticles on purification and contamination of nematic liquid crystals",
 Beilstein J. Nanotechnol. 8 (2017) 2766–2770.
- 86.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
 AIP Conf. Proc. 2075 (2019) 020018 (1–5).
-

Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov:
Single-layered microscale linear-gradient PDLC material for electro-optics
 Cryst. Res. Technol. 44 (8) (2009) 870–878

- 87.- Q.L. Ma, Y.M. Huang:
"Phase separation in polymer dispersed liquid crystal device",
 Materials Science Forum 663-665, Optoelectronic Materials, Part 1, ed. Y.M. Huang (2011), Trans Tech Publication,
 pp. 763–766.
- 88.- Q.L. Ma, Y.M. Huang:
"Transmittance of polymer dispersed liquid crystal device",
 Materials Science Forum 663-665, Optoelectronic Materials, Part 1, ed. Y.M. Huang (2011), Trans Tech Publication,
 pp. 795–799.
- 89.- Q.L. Ma, Y.M. Huang:
"Dependence of the morphology of polymer dispersed liquid crystal on temperature",
 Materials Science Forum 663-665, Optoelectronic Materials, Part 1, ed. Y.M. Huang (2011), Trans Tech Publication,
 pp. 804–807.
- 90.- Y. Kim, D. Jung, S. Jeong, K. Kim, W. Choi, Y. Seo:
"Optical properties and optimized conditions for polymer dispersed liquid crystal containing UV curable polymer and nematic liquid crystal",
 Curr. Appl. Phys. 15(3) (2015) 292–297.
- 91.- Y. Kim, K. Kim, K.B. Kim, J.Y. Park, N. Lee, Y. Seo:
"Flexible polymer dispersed liquid crystal film with graphene transparent electrodes",
 Curr. Appl. Phys. 16(3) (2016) 409–414.
- 92.- L.T. Popova:
"Flexo-dielectro-optical spectroscopy of PDLC films modified by nano-rubbed PTFE layers",
 J. Phys. Conf. Ser. 682 (2016) 012027 (1–5).
- 93.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
 J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).

- 94.- H. Teng, J. Li, Z. Hou, X. Yan, L. Han, J. Xu, T. Li:
"Preparation of Compositional Gradient Polymeric Films Based on Gradient Mesh Template",
Polymers 10(6) (2018) 677 (1-15).
- 95.- G. N. Hassanein, N. Kattan, M.A. Ellabban:
"Electro-optic properties of aligned and non-aligned polymer dispersed liquid crystals driven by an amplitude-modulated electric signal",
Optik 186(June 2019) (2109) 137–146.
- 96.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
-
- V.G. Ivanov, G. Hadjichristov, E. Faulques:**
"Characterization of chemical bonding in ion-implanted polymers by means of mid-infrared reflectivity",
Appl. Spectrosc. 63 (9) (2009) 1022-1026
- 97.- J. Wang, F. Zhu, B. Zhang, H. Liu, G. Jia, C Liu:
"Photoluminescence and reflectivity of polymethylmethacrylate implanted by low-energy carbon ions at high fluences",
Appl. Surf. Sci. 261 (2012) 653–658.
- 98.- N. Shekhawat, A. Sharma, S. Aggarwal, K.G.M. Nair:
"Refractive index engineering of Ar⁺ implanted CR-39 polymer",
 in: **CONDENSED MATTER AND MATERIALS PHYSICS**, Book Series: Advanced Materials Research, Vol. 665 (2013), Eds. P.K. Jha, A. Pratap, pp. 214–220.
-
- G.B. Hadjichristov, I.L Stefanov, B.I. Florian, G.D. Blaskova, V.G. Ivanov, E. Faulques:**
"Optical reflectivity study of silicon ion implanted poly(methyl methacrylate)",
Appl. Surf. Sci. 256 (3) (2009) 779–786
- 99.- X. Luo, J.H. Zhao, G. Cailiao:
"Superhydrophilicity antifogging modification of poly(methyl methacrylate) via static electronic self-assembly on the surface",
J. Funct. Mater. 41 (12) (2010) 2057–2059 + 2063.
- 100.- V. Kumar, P. K. Goyal, R. Gupta, T. Sharma, S. Kumar, P. Kumar, D. Kanjilal:
"Optical Behaviour of N⁺ Ion Implanted CR-39 Polymer",
AIP Conf. Proc. 1393 (2011) 149–150.
- 101.- J. Wang, F. Zhu, B. Zhang, H. Liu, G. Jia, C Liu:
"Photoluminescence and reflectivity of polymethylmethacrylate implanted by low-energy carbon ions at high fluences",
Appl. Surf. Sci. 261 (2012) 653–658.
- 102.- P.K. Goyal, V. Kumar, R. Gupta, S. Mahendia, A. Kumar, S. Kumar:
"Modification of polycarbonate surface by Ar⁺ ion implantation for various opto-electronic applications",
Vacuum 86(8) (2012) 1087–1091.
- 103.- M. Chawla, R. Rubi, R. Kumar, A. Sharma, S. Aggarwal, P. Kumar, D. Kanjilal:
"Tailoring Structural Properties of Polyethylene Terephthalate (PET) by 200 keV Ar⁺ Implantation",
 In: **CONDENSED MATTER AND MATERIALS PHYSICS**, Book Series: Advanced Materials Research, Vol. 665 (2) (2013), eds. P.K. Jha, A. Pratap, pp.221–226.
- 104.- S. Arif, M. S. Rafique, F. Saleemi, F. Naab, O. Toader, A. Mahmood, U. Aziz:
"Impact of nucleation of carbonaceous clusters on structural, electrical and optical properties of Cr⁺-implanted PMMA",
Appl. Phys. A 122(9) (2016) Art.No. 866.
- 105.- Chawla, M., Aggarwal, S., Sharma, A.:
"Rutherford backscattering spectrometry studies of 100 keV Nitrogen ion implanted polypropylene polymer",
 Nuclear Instruments and Methods in Physics Research Section B:
Beam Interactions with Materials and Atoms 407 (15 Sep 2017) 125–131.
- 106.- D. Ma, D. Yang, X. Chen, M. Zhang, X. Wang, M. Cai:
"The effects of temperature and humidity on the optical properties of PMMA: A hybrid first principle calculation and molecular dynamic simulation",
Proc. 18th Intl. Conf. Electronic Packaging Technol. (ICEPT), Aug 16-19, 2017, Harbin, China,
 Institute of Electrical and Electronics Engineers (IEEE) 927–931.
- 107.- M. L. Bharti, F. Singh, R.C. Ramola, V. Joshi:
"Photoluminescence and reflectivity studies of high energy light ions irradiated polymethyl methacrylate films",
Opt. Materials 73 (Nov 2017) 550–554.
- 108.- M.M. Shehata, S.I. Radwan, A.M.A. Reheem:
"SRIM simulation of parameters affecting sputtering yield and chemical structure using Kr, Cu and Pb ions bombardment",
Arab J. Nucl. Sci. Appl. 50(4) (2017) 193–200.
- 109.- S. Bhavsar, G.B. Patel, N.L. Singh:
"Effect of γ-irradiation on optical properties of Eu2O3-doped polystyrene polymer films",
Luminescence. 33(7) (2018) 1243–1248.
- 110.- M. Chawla, D. Gupta, N. Shekhawat, S. Ojha, S. Aggarwal:
"Surface characteristics of nitrogen ion implanted CR-39 polymer: RBS studies",
Vacuum 160 (Feb 2019) (2019) 89–94.
-
- Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov:**
"Gradient microscale PDLC single layers for light control",
J. Optoelectron. Adv. Mater. 11 (9) (2009) 1186–1189.
- 111.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser 780 (2017) 012007 (1–8).

112.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).

G.B. Hadjichristov, Y.G. Marinov, A.G. Petrov:
"Optical interference effects in microscale PDLC two-dimensional layers",
J. Optoelectron. Adv. Mater. 11 (9) (2009) 1190–1193

113.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
114.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).

G.B. Hadjichristov, I.L. Stefanov, S.S. Stanimirov, I.K. Petkov:
"The luminescence response of Eu(III)-thenoyltrifluoroacetone complexes upon preresonant excitation with femtosecond laser pulses"
Spectrochim. Acta A: Mol. Biomol. Spectrosc. 75 (1) (2010) 448–452

115.- N.B.D. Lima, A. I. S. Silva, V. F. C. Santos, S. M. C. Gonçalves, A. M. Simas:
"Europium complexes: choice of efficient synthetic routes from RM1 thermodynamic quantities as figures of merit",
RSC Adv. 7(34) (2017) 20811–20823.
116.- J. Hanuza, M. Ptak, R. Lisiecki, J. Janczak, A. Kwocz, E. Kucharska, S. Roszak, W. Ryba-Romanowski, M. Mączka, K. Hermanowicz, L. Macalik:
"Spectral and energetic transformation of femtosecond light impulses in the Eu³⁺ complex with dehydroacetic acid",
J. Luminesc. 198 (June2018) (2018) 471–448.
117.- J. Hanuza, M. Ptak, R. Lisiecki, A. Kwocz, E. Kucharska, W. Ryba-Romanowski, M. Mączka, K. Hermanowicz, L. Macalik:
"Spectroscopic investigation and DFT modelling studies of Eu³⁺ complex with 1-(2,6-dihydroxyphenyl)ethanone",
Spectrochim. Acta Part A: Mol. Biomol. Spectr. 200 (5 July) (2018) 322–329.

G. B. Hadjichristov, V. K. Gueorguiev, Tz. E. Ivanov, Y. G. Marinov, V. G. Ivanov, and E. Faulques:
"Electrical properties of PMMA ion-implanted with low-energy Si⁺ beam",
J. Phys. Conf. Ser. 207 (2010) 012022 (1–4)

118.- Y. Koval, I. Lazareva, P. Müller, K. Müller, K. Henkel, D. Friedrich:
"Field effect transistors on graphitized polymer surfaces"
physica status solidi (b)- BASIC SOLID STATE PHYSICS 248(2) (2011) 299–308.
119.- A. Kondyurin, M. Bilek:
"Ion Beam Treatment of Polymers: Application Aspects from Medicine to Space"
Elsevier, Amsterdam, Netherlands, 2015, Second edition, p.60.
120.- S. Arif, M.S. Rafique, F. Saleemi, R. Sagheer, F. Naab, O. Toader, A. Mahmood, R. Rashid, M. Mahmood:
"Influence of 400 keV carbon ion implantation on structural, optical and electrical properties of PMMA"
Nucl. Instrum. Methods Phys. Res. B 358 (2015) 236–244.
121.- Q.S. Ahmed, S. Bashir, S.A. Jalil, M.K. Shabbir, K. Mahmood, M. Akram, A. Khalid, N. Yaseen, A. Arshad:
"Surface, electrical and mechanical modifications of PMMA after implantation with laser produced iron plasma ions",
Nucl. Instrum. Meth. Phys. Res. B 378 (2016) 1–7.
122.- S. Arif, M. S. Rafique, F. Saleemi, F. Naab, O. Toader, A. Mahmood, U. Aziz:
"Impact of nucleation of carbonaceous clusters on structural, electrical and optical properties of Cr⁺-implanted PMMA"
Appl. Phys. A 122 (9) (2016) Art.No. 866.
123.- K.V. Aneesh Kumar, G.N. Kumaraswamy, C. Ranganathaiah, H.B. Ravikumar:
"Influence of oxygen ion implantation on the free volume parameters and electrical conductivity of a polymer-based bakelite RPC detector material",
J. Appl. Polym. Sci. 134(24) (2017) 44962 (1–10).
124.- M.B. Tahir, M.S. Rafique, R. Ahmed, M. Rafique, T. Iqbal, A. Hasan:
"Energetic metallic ion implantation in polymers via cost-effective laser-driven ion source",
Appl. Phys. B 123(7) (2017) art.204.

G.B. Hadjichristov, Y.G. Marinov, A.G. Petrov:
"Single-layered PDLC for diffractive optics",
Mol. Cryst. Liq. Cryst. 525 (1) (2010) 128–139

125.- B.K. Latha, G.S. Preeti, N. Satyavathi, K.P.N. Murthy, V.S.S. Sastry:
"Anchoring transitions in biaxial nematic droplets: A monte carlo study",
Mol. Cryst. Liq. Cryst. 545(1) (2011) 230–241.
126.- J.D. Cho, S.S Lee, Y.B. Kim, J.W Hong:
"Photocure kinetics and control of LC microdroplets for acrylate-based polymer dispersed liquid crystal with different methacrylate contents",
Macromol. Res. 21(12) (2013) 1297–1304.
127.- J.D. Cho, S.S. Lee, S.C. Park, Y.B Kim, J.W. Hong:
"Optimization of LC droplet size and electro-optical properties of acrylate-based polymer-dispersed liquid crystal by controlling photocure rate",
J. Appl. Polym. Sci. 130(5) (2013) 3098–3104.

- 128.- S. Bronnikov, S. Kostromin, V. Zuev:
"Polymer-dispersed liquid crystals: Progress in preparation, investigation, and application",
J. Macromolec. Sci., Part B: Physics, 52(12) (2013) 1718–1735.
- 129.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 130.- E.R. Soule, A.D. Rey:
"Phase Diagrams, Phase Separation Mechanisms and Morphologies in Liquid Crystalline Materials: Principles and Theoretical Foundations",
 in: **Polymer-Modified Liquid Crystals**, (Ed.) I. Dierking, Soft Matter Series, No. 8, RSC,CPI Group (UK) Ltd, Croydon, UK (2019) Chapter 2, pp. 19–36. Print ISBN: 978-1-78262-982-5.
- 131.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
-
- G.B. Hadjichristov, I.L. Stefanov:**
"Ion-implanted polymethyl methacrylate beam splitter/coupler for 1.55 μm applications",
Appl. Opt. 49(10) (2010) 1876–1879
- 132.- O.Peña-Rodríguez, J. Olivares, M. Carrascosa, Á. García-Cabañas, A. Rivera, F. Agulló-López:
"Optical Waveguides Fabricated by Ion Implantation/Irradiation: A Review",
 in: **Ion Implantation**, Ed. M. Goorsky, InTech (2012), Rijeka, Croatia, pp. 267–314.
- 133.- X. Song, R. Leonhardt:
"Laser ablation of a polymer electro-optic modulator ",
IEEE Photonics Technology Lett. 28(8) (2016) 895–898.
-
- Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov:**
"Single-layered PDLC films for electrically variable laser light reflection application",
Optics and Lasers in Engineering, 48 (12) (2010) 1161–1165.
- 134.- C.H. Chan, Y.T. Zou, T.K. Liu, H.W. Wang, S.C. Lin:
"The development of an inspection system for indium tin oxide circuits",
Meas. Sci. Technol. 23(8) 2012, art. no. 085902.
- 135.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
-
- Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov, S. Sridevi, U.S. Hiremath, C.V. Yelamaggad, S.K. Prasad:**
"Conoscopic evidence of the UV light-induced flexoelectric effect in homeotropic layers of nematic liquid crystal doped with azobenzene derivatives",
J. Phys. Conf. Ser. 253 (2010) 012060 (1–7)
- 136.- K. Mizuno:
"Photochemistry of aromatic compounds",
 in: **Photochemistry**, Specialist Periodical Reports, Royal Society of Chemistry (RSC Publishing), ed. A. Albini, Book Series: Photochemistry-A Specialist Periodical Report ,Vol. 40 (2012), pp. 106–145, p.137.
- 137.- C. Vitoriano, C. Satiro:
"Consequences of director-density coupling theory for flexoelectricity in nematic liquid crystals",
Phys. Rev. E 93(2) (2016) 022702.
- 138.- A. Ayriyan, E. A. Ayryan, A. Egorov, I. A. Maslyanitsyn, V. D. Shigorin:
"Numerical Modeling of the Static Electric Field Effect on the Nematic Liquid Crystal Director",
Mathematical Models and Computer Simulations 10(6) (2018) 714–720.
 Original Russian Text published in *Matematicheskoe Modelirovanie* 30(4) (2018) 97–107.
-
- V.G. Ivanov, G.B. Hadjichristov:**
"Orientation of sp² carbon nanoclusters in ion-implanted polymethylmethacrylate as revealed by polarized Raman spectroscopy",
J. Raman Spectrosc., 42(6) (2011) 1340–1343
- 139.- L.A. Nafie:
"Recent advances in linear and nonlinear Raman spectroscopy. Part VI",
J. Raman Spectrosc. 43(12) (2012) 1845–1863.
- 140.- J. Wang, F. Zhu, B. Zhang, H. Liu, G. Jia, C Liu:
"Photoluminescence and reflectivity of polymethylmethacrylate implanted by low-energy carbon ions at high fluences",
Appl. Surf. Sci. 261 (2012) 653–658.
- 141.- E. Kosobrodova, A. Kondurin, D.R. McKenzie, M.M.M. Bilek:
"Kinetics of post-treatment structural transformations of nitrogen plasma ion immersion implanted polystyrene",
Nucl. Instrum. Methods Phys. Res. 304(1) (2013) 57–66.
- 142.- E. Kosobrodova, A. Kondurin, W.Chrzanowski, D.G. McCulloch, D.R. McKenzie, M.M.M. Bilek:
"Optical properties and oxidation of carbonized and cross-linked structures formed in polycarbonate by plasma immersion ion implantation",
Nucl. Instrum. Methods Phys. Res. B 329 (2014) 52–63.
- 143.- S. Arif, M.S. Rafique, F. Saleemi, R. Sagheer, F. Naab, O. Toader, A. Mahmood, R. Rashid, M. Mahmood:
"Influence of 400 keV carbon ion implantation on structural, optical and electrical properties of PMMA",
Nucl. Instrum. Methods Phys. Res. B 358 (2015) 236–244.

- 144.- X. Song, Z. Dai, X. Xiao, W. Li, X. Zheng, X. Shang, X. Zhang, G. Cai, W. Wu, F. Meng, C. Jiang:
"Formation of carbonized polystyrene sphere/hemisphere shell arrays by ion beam irradiation and subsequent annealing or chloroform treatment",
Sci Rep. 5 (2015), Article number: 17529 (1–9).
- 145.- X. Zhang, S. Si, X. Zhang, W. Wu, X. Xiao, C. Jiang:
"Improved thermal stability of Graphene-veiled noble metal nanoarrays as recyclable SERS substrates",
ACS Appl. Mater. Interfaces 9(46) (2017) 40726–40733.
-

G.B. Hadjichristov, Y.G. Marinov, A.G. Petrov:
"Gradient polymer-disposed liquid crystal single layer of large nematic droplets for modulation of laser light",
Appl. Opt. 50 (16) (2011) 2326–2333

- 146.- L. Marin, M.C. Popescu, A. Zabulica, H. Uji-I, E. Fron:
"Chitosan as matrix for bio-polymer dispersed liquid crystal systems",
Carbohydrate Polymers 95(1) 16–24 (2013).
- 147.- Fang, Yi-Chin; Yen, Chih-Ta; Hsu, Jui-Hsin,
"Study of optical design of Blu-ray pickup head system with a liquid crystal element",
Appl. Opt. 53(29) (2014) H153–H159.
- 148.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 149.- C.M. Chang, Y.H. Lin, V. Reshetnyak, C.H. Park, R. Manda, S.H. Lee:
"Origins of Kerr phase and orientational phase in polymer-dispersed liquid crystals",
Opt. Express 25(17) (2017) 19807–19821.
- 150.- Y.H. Lin, C.M. Chang, V. Reshetnyak, C.H. Park, R. Manda, S.H. Lee:
"Origins of Kerr phase and orientational phase in polymer-dispersed liquid crystals",
Proc. SPIE 10361 (2017) Liquid Crystals XXI, 103610K;
151. - H. Zhang, M. Chen, T. Jiang, H. Chen, D. Zhang, Y. Sun, L. Zhang, S. Zhu, H Yang:
"Cyano terminated tolane compounds for polymer dispersed liquid crystal application: relationship between cyano terminated tolane based molecular structures and electro-optical properties",
Liq. Cryst. 45(12) (2018) 1771–1782.
152. - H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
153. - H. Hakemi:
"The Effect of Thickness on Morphology and Electro-Optics of Plastic Thermoset Polymer Dispersed Liquid Crystal (PDLC)",
Molecular Crystals and Liquid Crystals 689(1) (2019) 34–43.
-

S. Sridevi, U.S. Hiremath, C.V. Yelamaggad, S.K. Prasad, Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov:
"Behaviour of photosensitive soft materials: Thermo-optical, dielectric and elastic constant studies on azo-dye doped nematic liquid crystals",
Mater. Chem. Phys. 130(3) (2011) 1329–1335

- 154.- J.H. Son, S.H. Lee, S.H. Hong, W.C. Zin, J.K. Song:
"Photo-controllable electro-optic response of liquid crystalline cells using photo-isomeric molecules",
Liq. Cryst. 40(5) (2013) 646–655.
- 155.- T. Eren, M. Kose, K. Sayin, V. McKee, M. Kurtoglu:
"A novel azo-aldehyde and its Ni(II) chelate; synthesis, characterization, crystal structure and computational studies of 2-hydroxy-5-((E)-[4-(propan-2-yl)phenyl]diazenyl]benzaldehyde",
J. Molec. Struct. 1065–1066(1) (2014) 191–198.
- 156.- F. Akkurt:
"Laser induced electro-optical characterization of anthraquinone dye and fullerene C60 doped guest-host liquid crystal systems",
J. Molec. Liq. 194 (2014) 241–244.
- 157.- H. Xie, L. Zhang, W. Zhang, B. He, X. Yuan, P. Song, Z. Chen, Z. Yang, H. Yang:
"Electro-switchable characteristics of broadband absorptive films based on multi-dichroic dye-doped nematic liquid crystal",
Liq. Cryst. 42(3) (2015) 309–315.
- 158.- M. Okumuş:
"Investigation of thermo-electro-optic properties of some mixed nematic liquid crystals"
Molec. Cryst. Liq. Cryst. 625(1) (2016) 117–125.
-

H.Y. Stoyanov, I.L. Stefanov, G.G. Tsutsumanova, S.C. Russev, G.B. Hadjichristov:
"Depth-profiled characterization of complex refractive index of ion implanted optically transparent polymers using multilayer calculations and reflectance data",
Vacuum 86 (12) (2012) 1822–1827

- 159.- N. Shekhawat, S. Aggarwal, A. Sharma, K.G.M. Nair:
"Surface hardening in N+ implanted polycarbonate",
J. Mater. Sci., 50(8) (2015), A3005, 3005–3013.
- 160.- S.B Aziz:
"Modifying Poly (Vinyl Alcohol)(PVA) from Insulator to Small-Bandgap Polymer: A Novel Approach for Organic Solar Cells and Optoelectronic Devices",
J. Electronic Mater. 45(1) (2016) 736–745.
- 161.- S. Arif, F. Saleemi, M. S. Rafique, F. Naab, O. Toader, A. Mahmood, U. Aziz:
"Effect of silver ion-induced disorder on morphological, chemical and optical properties of poly (methyl methacrylate)",
Nucl. Instrum. Methods Phys. Res. B 387 (2016) 86–95.

Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov, S. Marino, C. Versace, N. Scaramuzza:
"Electro-optical response of polymer-dispersed liquid crystal single layers of large nematic droplets oriented by rubbed teflon nanolayers",
J. Appl. Phys. 113(6) (2013) 064301 (1–11)

- 162.- M. Boussoualem, M. Ismaili, F. Roussel:
"Influence of surface anchoring conditions on the dielectric and electro-optical properties of nematic droplets dispersed in a polymer network",
Soft Matter 10(2) (2014) 367–373.
- 163.- E. Perju, E. Paslaru, L. Marin:
"Polymer-dispersed liquid crystal composites for bio-applications: thermotropic, surface and optical properties",
Liq. Cryst. 42(3) (2015) 370–382.
- 164.- T Tanaka, M Ishitobi, T Aoyama, S Matsumoto:
"Highly Oriented J-Aggregates of Nitroazo Dye and its Surface-Induced Chromism"
Langmuir 32(19) (2016) 4710–4718.
- 165.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 166.- L. Ye, C. Lv, F. Li, Y. Wang, B. Liu, Y. Cui:
"Effect of alignment layer on polymer-dispersed liquid crystal random laser",
J. Modern Opt. 64(14) (2017) 1429–1434.
- 167.- S.K. Wu, T.S. Mo, J.D. Lin, S.Y. Huang, C.Y. Huang, H.C. Yeh, L.J. Chen, C.R. Lee:
"Electrohydrodynamics-induced abnormal electro-optic characteristics in a polymer-dispersed liquid crystal film",
Crystals 7(7) (2017) 227 (1–12).
- 168.- A. Bouriche, L. Bedjaoui, U. Maschke:
"Phase behaviour and electro-optical response of systems composed of nematic liquid crystals and poly (2-ethylhexylacrylate)",
Liq. Cryst. 45(5) (2018) 656–665.
- 169.- J.H. Bae, E.D. Jung, Y.S. Nam, B.C. Kim, H.J. Choi, H.G. Kim, M.H. Song, S.W. Choi:
"Micro-Segregated Liquid Crystal Haze Films for Photovoltaic Applications: A Novel Strategy to Fabricate Haze Films Employing Liquid Crystal Technology",
Materials 11(11) (2018) 2188 (1–9).
- 170.- G. N. Hassanein, N. Kattan, M.A. Ellabban:
"Electro-optic properties of aligned and non-aligned polymer dispersed liquid crystals driven by an amplitude-modulated electric signal",
Optik 186(June 2019) (2109) 137–146
- 171.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
- 172.- G.H. Kim, W.J. Lee, S. Kim, Y.H. Kim:
"Color filter/polarizer-free liquid crystal composite display having color dyes",
23rd International Display Workshops in conjunction with Asia Display, IDW/AD 2016 (2016) 728–731.

S.C. Russev, G.G. Tsutsumanova, I.L. Stefanov, G.B. Hadjichristov:
"Ellipsometrical characterization of complex refractive index depth profile of 50 keV silicon ion implanted PMMA",
Vacuum 94 (August) (2013) 19–25

- 173.- V. Resta, L. Calcagnile, G. Quarta, L. Maruccio, A. Cola, I. Farella, G. Giancane, L. Valli:
"Optical and electrical properties of polycarbonate layers implanted by high energy Cu ions",
Nucl. Instrum. Meth. Phys. Res. B 312 (2013) 42–47.
- 174.- V. Resta, G. Quarta, L. Maruccio, L. Calcagnile:
"Copper ion implantation of polycarbonate matrices: Morphological and structural properties",
Nucl. Instrum. Meth. Phys. Res. B 331 (2014) 187–190.
- 175.- P Singh, R Kumar, R Singh, A Roychowdhury, D Das
"The influence of cross linking and clustering upon the nanohole free volume of the SHI and γ-radiation induced polymeric material",
Appl. Surf. Sci. 328 (2015) 482–490.

Y. G. Marinov, G. B. Hadjichristov, A. G. Petrov, S. Marino, C. Versace, N. Scaramuzza:
"Selective amplitude-frequency electro-optical modulation by polymer-dispersed liquid crystal films aligned by teflon nanolayers",
C. R. Acad. Bulg. Sci. 66(6) (2013) 819–826

- 176.- H.K. Koduru:
"Electro-optical and dielectric characterization of submicrometer-sized polymer-dispersed liquid crystal films",
J. Phys. Conf. Ser. 780 (2017) 012007 (1–8).
- 177.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).

G. B. Hadjichristov, Y. G. Marinov, A. G. Petrov, E. Bruno, L. Marino, and N. Scaramuzza:
"Electro-optically responsive composites of gold nanospheres in 5CB liquid crystal under direct current and alternating current joint action ",
J. Appl. Phys. 115 (2014) 083107:

- 178.- U.B. Singh, R. Dhar, A.S. Pandey, S. Kumar, R. Dabrowski, M.B. Pandey:
"Electro-optical and dielectric properties of CdSe quantum dots and 6CHBT liquid crystals composites",
AIP Advances 4(11) (2014) 117112.
- 179.- P.B. De Melo, A.M. Nunes, L. Omena, M.R. Meneghetti, I.N. De Oliveira,
"Thermo-optical properties and nonlinear optical response of smectic liquid crystals containing gold nanoparticles",
Phys. Rev.E - Statistical, Nonlinear, and Soft Matter Physics 92 (4) (2015) 042504.
- 180.- G. Palermo, U. Cataldi, L.De Sio, T. Bürgi, N. Tabiryan, C. Umeton:
"Optical control of plasmonic heating effects using reversible photo-alignment of nematic liquid crystals",
Appl. Phys. Lett. 109(19) (2016) 191906(1–5).
- 181.- R. S. Silva, P. B. de Melo, L. Omena, A. M. Nunes, M. G. A. da Silva, M. R. Meneghetti, I. N. de Oliveira:
"Temperature dependence of the nonlinear optical response of smectic liquid crystals containing gold nanorods",
Phys. Rev. E Stat. Nonlin. Soft Matter Phys. 96(6) (2017) 062703.
- 182.- A. Siarkowska, M. Chychlowski, D. Budaszewski, B. Jankiewicz, B. Bartosewicz., T.R. Wolinski:
"Thermo- and electro-optical properties of photonic liquid crystal fibers doped with gold nanoparticles",
Beilstein J. Nanotechnol. 8 (2017) 2790–2801.
- 183.- R.S. Silva, L. Omena, A.M. Nunes, M.G.A. da Silva, M. Meneghetti, I.N de Oliveira:
"Effects of an external electric field on the nonlinear optical absorption of smectic liquid crystals containing gold nanorods",
Molecular Crystals and Liquid Crystals 657(1) (2017) 21–26.
- 184.- B.S. Chang, R. Tutika, J. Cutinho, S. Oyola-Reynoso, J. Chen, M.D. Bartlett, M.M. Thuo:
"Mechanically triggered composite stiffness tuning through thermodynamic relaxation (ST3R)",
Mater. Horiz. 5(3) (2018) 416–422.
- 185.- W Liang, J Chen, Z Li:
"Electrically controlled beam steering with wide deflection angles in liquid crystal photonic crystals",
J. Opt. 20(7) (2018) 075106.
- 186.- G. Yadav, M. Kumar, A. Srivastava, R. Manohar:
"SiO₂ Nanoparticles doped Nematic Liquid Crystal system: An experimental investigation on optical and dielectric properties",
Chinese Journal of Physics 57(February 2019) (2019) 82–89.
- 187.- D. Budaszewski, M. Chychlowski, A. Budaszewska, B. Bartosewicz, B. Jankiewicz, T. R. Wolinski:
"Enhanced efficiency of electric field tunability in photonic liquid crystal fibers doped with gold nanoparticles",
Optics Express 27(10) (2019) 14260–14269.
- 188.- H.B. Yang:
"The Structural and Morphology of (La_{0.6}Sr_{0.4})MnO₃ Thin Films Prepared by Pulsed Laser Deposition",
MATEC Web of Conferences 44 (2016) 02035.
- 189.- K.L. Sandhya, N. Pushpavathi, S.K. Prasad, D.S.S. Rao:
"Influence of ZnO nanoparticles on the polarization, dielectric and electro-optic behaviour in the smectic C* and hexatic l* phases",
J. Molec. Liq. 275 (2019) 421–430.

G.B. Hadjichristov, Y.G. Marinov, A.G. Petrov, E. Bruno, L. Marino, N. Scaramuzza:
"Electro-optics of nematic/gold nanoparticles composites: the effect from dopants"
Mol. Cryst. Liq. Cryst. 610 (1) (2015) 135–148

- 190.- V. Marzal, J. C. Torres, B. García-Cámarra, I. Pérez, J. M. Sánchez-Peña, W. Piecik:
"Study of electrical behavior of liquid crystal devices doped with titanium dioxide nanoparticles",
Photonics Lett. Pol. 9(1) (2017) 20–22.

Y. G. Marinov, G.B. Hadjichristov, A.G. Petrov, S.K. Prasad:
"Thin films of silica nanoparticle doped nematic liquid crystal 7CB for electro-optic modulation",
Phot. Lett. Pol. 7 (2015) 94–96

- 191.- T. R. Wolinski, A. Siarkowska, D. Budaszewski, M. Chychlowski, A. Czapla, S. Ertman, P. Lesiak, K. A. Rutkowska, K. Orzechowski, M. Sala-Tefelska, M. Sierakowski, R. Dąbrowski, B. Bartosewicz, B. Jankiewicz, E. Nowinowski-Kruszelnicki, P. Mergo:
"Recent advances in liquid-crystal fiber optics and photonics",
Proc. SPIE 10125 (2017) 101250W (1-8), Emerging Liquid Crystal Technologies XII, ed. L. C. Chien, San Francisco, California, USA.
- 192.- A. Siarkowska, M. Chychlowski, D. Budaszewski, B. Jankiewicz, B. Bartosewicz., T.R. Wolinski:
"Thermo- and electro-optical properties of photonic liquid crystal fibers doped with gold nanoparticles",
Beilstein J. Nanotechnol. 8 (2017) 2790–2801.
- 193.- S. Ertman, K. Rutkowska, T. R. Wolinski:
"Recent progress in liquid-crystal optical fibers and their applications in photonics",
Journal of Lightwave Technology 37(11) (2019) 2516–2526.
- 194.- G. Yadav, M. Kumar, A. Srivastava, R. Manohar:
"SiO₂ Nanoparticles doped Nematic Liquid Crystal system: An experimental investigation on optical and dielectric properties",
Chinese Journal of Physics 57(February 2019) (2019) 82–89.
- 195.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).

- G. B. Hadjichristov, Y. G. Marinov, A. G. Petrov, L. Marino and N. Scaramuzza:
"Dielectric and electrical characterization of 5CB nematic liquid crystal doped with silver nanoparticles",
J. Phys.: Conf. Ser. 682 (2016) 012015 (1–8)
- 196.- R. Kaur, G.K. Bhullar, K.K. Raina:
"Effects of silver nanoparticles doping on morphology and luminescence behaviour of ferroelectric liquid crystals Langmuir-Blodgett films",
Liquid Crystals 43(12) (2016) 1760–1767.
- 197.- D. Budaszewski, A. Siarkowska, M. Chychlowski, B. Jankiewicz, B. Bartosewicz, R. Dabrowski, T.R. Wolinski:
"Nanoparticles-enhanced photonic liquid crystal fibers",
J. Molec. Liq. 267 (2018) 271–278.
- 198.- E. Konshina, D. Shcherbinin, M. Kurochkina:
"Comparison of the properties of nematic liquid crystals doped with TiO₂ and CdSe/ZnS nanoparticles",
J. Molec. Liq. 267 (1 October 2018) (2018) 308–314.
- 199.- M. Mrukiewicz, K. Kowiorski, P. Perkowski, R. Mazur, M. Djas:
"Threshold voltage decrease in a thermotropic nematic liquid crystal doped with graphene oxide flakes",
Beilstein J. Nanotechnol. 10 (2019) 71–78.
-
- Y. G. Marinov, G. B. Hadjichristov, A. G. Petrov, S. K. Prasad:**
"Photo-controllable electro-optics of aerosil/7CB nanocomposite nematic doped with azo-bonded molecules",
J. Phys.: Conf. Ser., 682 (2016) 012030 (1–5)
- 200.- A. Zonouzi, H.A. Shahrezaee, A. Rahmani, F. Zonouzi, K. Abdi, F.T. Fadaei, K. Schenk:
"Efficient synthesis of some new chromenopyrimidine azo-dyes catalyzed by Cu/SBA-15",
Organic Preparations and Procedures International 50(3) (2018) 343–358.
-
- Y.G. Marinov, G.B. Hadjichristov, A.G. Petrov, S. Krishna Prasad:**
"Electro-optic modulation by silica-nanostructured nematic system (aerosil/7CB nanocomposite)",
Composites Part B: Engineering 90 (1 April 2016) 471–477
- 201.- M. Mishra, S. Kumar, R. Dhar:
"Effect of high concentration of colloidal gold nanoparticles on the thermodynamic, optical, and electrical properties of 2, 3, 6, 7, 10, 11- hexabutoxytryphénylene discotic liquid crystalline material",
Soft Materials 15(1) (2017) 34–44.
- 202.- H.K. Koduru, L. Marino, N. Scaramuzza:
"Electro-optics of PDLC films doped with WO₃ nanoparticles",
AIP Conf. Proc. 2075 (2019) 020018 (1–5).
-
- H. K. Koduru, K. K. Kondamareddy, M. T. Iliev, Y. G. Marinov, G. B. Hadjichristov, D. Karashanova, N. Scaramuzza:**
"Synergistic effect of TiO₂ nano filler additives on conductivity and dielectric properties of PEO/PVP nanocomposite electrolytes for electrochemical cell applications",
J. Phys.: Conf. Ser. 780 (2017) 012006 (1–8).
- 203.- M. F. Hassan, N. S. N. Azimi:
"Conductivity and transport properties of starch/glycerin-MgSO₄ solid polymer electrolytes",
International Journal of Advanced and Applied Sciences, 6(5) (2019) 38–43.
- 204.- S.B. Aziz, R.T. Abdulwahid, M.H. Hamsan, M.A. Brza, R.M. Abdullah, M.F. Z. Kadir, S.K. Muzakir:
"Structural, impedance, and EDLC characteristics of proton conducting chitosan-based polymer blend electrolytes with high electrochemical stability",
Molecules , 24 (2019) 3508 (1–15).
-
- G.B. Hadjichristov, Y.G. Marinov:**
"Photoresponsive azo-doped aerosil/7CB nematic liquid-crystalline nanocomposite films: the role of polyimide alignment layers of the films",
J. Phys.: Conf. Ser. 780 (2017) 012008 (1–7)
- 205.- T. Vimal, K. Agrahari, R.K. Sonker, R. Manohar:
"Investigation of thermodynamical, dielectric and electro-optical parameters of nematic liquid crystal doped with polyaniline and silver nanoparticles",
Journal of Molecular Liquids 290 (15 September 2019) (2019) 111241.
-
- Y. G. Marinov, G. B. Hadjichristov, A. G. Petrov, H. K Koduru, L. Marino, N. Scaramuzza:**
"Dielectric and electrical behaviours of polymeric (PEO/PVP):NaI_{0.4} composite for solid electrolytes batteries",
J. Phys.: Conf. Ser. 794 (2017) 012020 (1–6)
- 206.- G. Dave, D.K. Kanchan:
"Dielectric relaxation and modulus studies of PEO-PAM blend based sodium salt electrolyte system",
Indian J. Pure & Appl. Phys. 56(12) (2018) 978–988.
- 207.- Y.L. Yap, A.H. You, L.L. Teo:
"Preparation and characterization studies of PMMA–PEO-blend solid polymer electrolytes with SiO₂ filler and plasticizer for lithium ion battery",
Ionics 25(7) (2019) 3087–3098.
- 208.- G. Dave, D. Kanchan, F. Singh:
"Conductivity and dielectric behaviour of PEO-PAM- NaCF₃S_{0.3} blend electrolyte system irradiated with swift heavy O⁶⁺ ion beam",
Radiation Physics and Chemistry 161 (2019) 87–94.

- 209.- P. Marx, A. Romano, I. Roppolo, A. Chemelli, I. Muhlbacher, W. Kern, S. Chaudhary, T. Andritsch, M. Sangermano, F. Wiesbrock:
"3D-printing of high-K thiol-ene resins with 1 spiro-orthoesters as anti-shrinkage additive",
Macromolecular Materials and Engineering (2019) 1900515 (1–10).
-
- H.K. Koduru, L. Marino, F. Scarpelli, A.G. Petrov, Y.G. Marinov, G.B. Hadjichristov, M.T. Iliev, N. Scaramuzza:
"Structural and dielectric properties of NaIO₄ – complexed PEO/PVP blended solid polymer electrolytes",
Curr. Appl. Phys. 17(11) (2017) 1518–1531
- 210.- P. Pal, A. Ghosh:
"Influence of TiO₂nano-particles on charge carrier transport and cell performance of PMMA-LiClO₄based nano-composite electrolytes",
Electrochim. Acta 260 (Jan 2018) 157–167.
- 211.- G. A. dos Santos, Jr., A. F. Nogueira:
"Thermal and electrochemical characterization of a new poly (ethylene oxide) copolymer—gel electrolyte containing polyvalent ion pair of cobalt (C*II*/*III*) or iron (F*II*/*III*)",
J. Solid State Electrochem. 22(5) (2018) 1591–1605.
- 212.- N.N. Sede, M. Entezam, S.H. Jafari, H.A. Khonakdar, M. Abdouss:
"Morphology, drug release behavior, thermal, and mechanical properties of poly(ethylene oxide) (PEO)/poly(vinyl pyrrolidone) (PVP) blends",
J. Appl. Polym. Sci. 135(26) (2018) art.46403 (1–9).
- 213.- N. S. Alghunaim:
"Structural, thermal, dielectric spectroscopic and AC impedance properties of SiC nanoparticles doped PVK/PVC blend",
Results in Physics 9 (June 2018) (2018) 1136–1140.
- 214.- A. Arya, A. L. Sharma:
"Optimization of salt concentration and explanation of two peak percolation in blend solid polymer nanocomposite films",
J. Solid State Electrochem. 22(9) (2018) 2725–2745.
- 215.- O. Elkalashy, E. Sheha:
"Attempt to tune the dielectric and optical properties in PVA/ZnO composite using tetra ethylene glycol dimethyl ether for light emitting devices",
Applied Physics A 124 (2018) 549 (1–12)
- 216.- M. A. Morsi, M. Abdelaziz, A. H. Oraby, I. Mokhles:
"Effect of lithium titanate nanoparticles on the structural, optical, thermal and electrical properties of polyethylene oxide/carboxymethyl cellulose blend",
J. Mater. Sci.: Mater. Electronics 29(18) (2018) 15912–15925.
- 217.- K. Sundaramahalingam, N. Nallamuthu, A. Manikandan, D. Vanitha, M. Muthuvinayagam:
"Studies on sodium nitrate based polyethylene oxide/polyvinyl pyrrolidone polymer blend electrolytes",
Physica B: Condensed Matter 547 (2018) 55–63.
- 218.- A. Arya, A. L. Sharma:
"Tailoring the Structural, Morphological, Electrochemical, and Dielectric Properties of Solid Polymer Electrolyte",
Ionics 25(4) (2019) 1617–1632.
- 219.- A. Arya, M. Sadiq, A. L. Sharma:
"Structural, electrical and ion transport properties of free-standing blended solid polymeric thin films",
Polymer Bulletin 76(10) (2019) 5149–5172.
- 220.- H.M.Alhusaiki-Alghamdi:
"Improve spectroscopic structural and AC electrical conductivity of PC/PEO blend using graphene",
Results in Physics 12 (March 2019) (2019) 793–798.
- 221.- C.Y. Tan, F.S. Omar, N.M. Saidi, N.K. Farhana, S. Ramesh, K. Ramesh:
"Optimization of poly(vinyl alcohol-co-ethylene)-based gel polymer electrolyte containing nickel phosphate nanoparticles for dye-sensitized solar cell application",
Solar Energy 178 (15 Jan 2019) (2019) 231–240.
- 222.- A. Arya, N.G. Saykar, A.L. Sharma:
"Impact of shape (nanofiller vs. nanorod) of TiO₂ nanoparticle on free standing solid polymeric separator for energy storage/conversion devices",
J. Appl. Polym. Sci. 136(16) (2019) 47361 (1–15).
- 223.- Pritam, A. Arya, A. L. Sharma:
"Dielectric relaxations and transport properties parameter analysis of novel blended solid polymer electrolyte for sodium-ion rechargeable batteries",
J. Mater. Sci. 54(9) 7131–7155.
- 224.- D. Kumar, D.K. Kanchan:
"Dielectric and electrochemical studies on carbonate free Na-ion conducting electrolytes for sodium-sulfur batteries",
Journal of Energy Storage 22 (2019) 44–49.
- 225.- N. M. Saidi, H. M. Ng, F. S. Omar, S. Bashir, K. Ramesh, S. Ramesh:
"Polyacrylonitrile-poly(1-vinyl pyrrolidone-*co*-vinyl acetate) blend based gel polymer electrolytes incorporated with sodium iodide salt for dye-sensitized solar cell applications",
Journal of Applied Polymer Science 136(32) (2019) 47810 (1–11).
- 226.- Torgut, G., Biryani, F. & Demirelli, K:
"Effect of graphite particle fillers on dielectric and conductivity properties of poly(NIPAM-*co*-HEMA)",
Bulletin of Materials Science 42(5) (2019) art. 244(1–11)
227. - S.L. Pala, S.N. Varma, N.K. Jyothi, et al.:
"Electrical and dielectrical properties of PVA:PEG:CH₃COONH₄",
J. Ind.Chem. Soc. 96(1) (2019) 182–184.

- 228.- A. Arya, M. Sadiq, A.L. Sharma:
"Salt concentration and temperature dependent dielectric properties of blend solid polymer electrolyte complexed with NaPF₆",
Mater. Today Proc. 12(Part3) (2019) 554–564.
- 229.- M.D. Singh, A. Dalvi, D.M. Phase:
"Electrical transport in PEO-NaI-NASICON nanocomposites: An assessment using impedance and X-Ray absorption spectroscopy",
Materials Research Bulletin 118(Oct 2019) 110485(1–10).
- 230.- Pritam, A. Arya, A.L. Sharma:
"Selection of best composition of Na⁺ ion conducting PEO-PEI blend solid polymer electrolyte based on structural, electrical, and dielectric spectroscopic analysis",
Ionics (2019) (pp.1–22) (Article in press), <https://doi.org/10.1007/s10853-019-03381-3>.
-
- H. K. Koduru, F. Scarpelli, Y. G. Marinov, G. B. Hadjichristov, P. M. Rafailov, I. K. Miloushev, A.G. Petrov, N. Godbert, L. Bruno, N. Scaramuzza:
"Characterization of PEO/PVP/GO nanocomposite solid polymer electrolyte membranes: microstructural, thermomechanical and conductivity properties",
Ionics, 24(11) (2018) 3459–3473 (2018).
- 231.- M. A. Morsi, M. Abdelaziz, A. H. Oraby, I. Mokhles:
"Effect of lithium titanate nanoparticles on the structural, optical, thermal and electrical properties of polyethylene oxide/carboxymethyl cellulose blend",
J. Mater. Sci.: Mater. Electronics 29(18) (2018) 15912–15925. .
- 232.- S. Chua, R. Fang, Z. Sun, M. Wu, Z. Gu, Y. Wang, J. Hart, N. Sharma, F. Li, D.W. Wang:
"Hybrid solid polymer electrolytes with two-dimensional inorganic nanofillers",
Chem. Eur. J. 24(69) (2018) 18180–18203.
- 233.- J. Hu, W. Wang, B. Zhou, Y. Feng, X. Xie, Z. Xue:
"Poly(ethylene oxide)-based composite polymer electrolytes embedding with ionic bond modified nanoparticles for all-solid-state lithium-ion battery",
Journal of Membrane Science 575 (1 April 2019) 200–208.
- 234.- Sengwa, R.J., Choudhary, S. & Dhatarwal, P.:
"Nonlinear optical and dielectric properties of TiO₂ nanoparticles incorporated PEO/PVP blend matrix based multifunctional polymer nanocomposites",
J. Mater Sci: Mater Electron 30(13) (2019) 12275–12294.
-
- H.K. Koduru, Y.G. Marinov, F. Scarpelli, G.B. Hadjichristov, A.G. Petrov, N. Godbert, N. Scaramuzza:
"Polyethylene oxide (PEO) - Liquid crystal (E8) composite electrolyte membranes: microstructural, electrical conductivity and dielectric studies",
J. Non-Crystal. Solids 499(1 Nov2018) (2018) 107–116.
- 235.- Pritam, A. Arya, A.L. Sharma:
"Selection of best composition of Na⁺ ion conducting PEO-PEI blend solid polymer electrolyte based on structural, electrical, and dielectric spectroscopic analysis",
Ionics (2019) (pp.1–22) (Article in press), <https://doi.org/10.1007/s10853-019-03381-3>.